

GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

P.S. - Irrigation & CAD Department -- Disciplinary action against Sri K.Sanyasi Rao, Executive Engineer (Rtd) for misconduct in respect of irregularities committed in Vamsadhara Shuttters scandal, Srikakulam District - Sanction under Rule 9 of APRP Rules, 1980 - Accorded.

IRRIGATION & CAD (SER.VII(V&E-2) DEPARTMENT
G.O.Ms.No. 282 Dated: 31-10-2009

O R D E R:

Whereas it has been brought to the notice of the Government that Sri K.Sanyasi Rao, Executive Engineer (Rtd) during his incumbency as General Superintendent, PWD Work Shop, Seethanagaram has been alleged to have committed misconduct in respect procurement of Vamsadhara Shuttters in Srikakulam District.

2. Therefore Government have come to conclusion after examination that there exists a prima facie case to initiate Departmental action against Sri K.Sanyasi Rao, Executive Engineer (Rtd) .

3. Now, therefore sanction is accorded under sub clause (i) under clause (b) of sub rule (2) of Rule 9 of Andhra Pradesh Revised Pension Rules, 1980 to initiate Departmental Proceedings against the said Sri K.Sanyasi Rao, Executive Engineer (Rtd) .

4. It is further directed that the said Departmental proceedings shall be conducted in accordance with the procedure laid down in rule 20 of A.P Civil Services (CC&A) Rules, 1991.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

S.P.TUCKER
PRINCIPAL SECRETARY TO GOVERNMENT

To
Sri K.Sanyasi Rao, Executive Engineer (Rtd) through Engineer-in-Chief (AW), Irrigation & CAD Department, Hyderabad.

The Engineer-in-Chief (AW), I& CAD Department, Hyderabad

// FORWARDED :: BY ORDER//

SECTION OFFICER